



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ---- Guaranteed.



CBDCE-CDCES Dumps
CBDCE-CDCES Braindumps
CBDCE-CDCES Real Questions
CBDCE-CDCES Practice Test
CBDCE-CDCES Actual Questions



killexams.com

Nursing

CBDCE-CDCES

CBDCE Certified Diabetes Care and Education Specialist

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/CBDCE-CDCES>



SAMPLE QUESTIONS
GET FULL VERSION TO DOWNLOAD FULL Q&As SET.

Question: 993

In managing a patient with diabetes, which of the following is the most critical aspect of interpreting CGM data to ensure optimal care?

- A. The timing of glucose readings
- B. The patient's self-reported symptoms
- C. The trend and stability of glucose patterns
- D. The total number of readings obtained

Answer: C

Explanation: The trend and stability of glucose patterns provide valuable insight into the patient's overall glycemic control and help guide management decisions.

Question: 994

In a Patient-Centered Medical Home (PCMH) model, which of the following is a primary goal that differentiates it from traditional healthcare delivery models?

- A. Enhanced patient engagement and shared decision-making in care plans.
- B. Increased reliance on hospital-based care for chronic conditions.
- C. Reduced emphasis on preventive care and screenings.
- D. Limitation of care coordination to primary care providers only.

Answer: A

Explanation: The PCMH model emphasizes enhanced patient engagement and shared decision-making, aiming to provide comprehensive primary care that is coordinated and proactive, distinguishing it from traditional models.

Question: 995

In the context of hormonal regulation, which of the following statements about cortisol is true regarding its effect on glucose metabolism in diabetic patients?

- A. It promotes gluconeogenesis
- B. It enhances insulin secretion
- C. It decreases hepatic glucose production

D. It increases glucose uptake by peripheral tissues

Answer: A

Explanation: Cortisol promotes gluconeogenesis in the liver, increasing blood glucose levels, which can exacerbate hyperglycemia in diabetic patients.

Question: 996

A patient following a vegan diet is concerned about adequate protein intake. Which of the following plant-based protein sources is considered a complete protein, providing all essential amino acids?

- A. Almonds
- B. Lentils
- C. Peas
- D. Quinoa

Answer: D

Explanation: Quinoa is one of the few plant-based sources that is a complete protein, containing all essential amino acids, making it an excellent choice for those following a vegan diet to meet their protein needs.

Question: 997

A patient discloses their HIV status during a diabetes education session and requests confidentiality. What is the most ethical response from the diabetes educator?

- A. Encourage the patient to disclose their status to all healthcare providers.
- B. Assure the patient that their information will be kept confidential unless required by law.
- C. Document the information in the patient's chart without further discussion.
- D. Suggest the patient not mention their status to avoid complications.

Answer: B

Explanation: It is ethical to assure patients that their information will be kept confidential, respecting their privacy while also being aware of legal exceptions that may apply.

Question: 998

A patient with diabetes is being evaluated for the presence of glycemic variability. If their blood glucose levels are recorded multiple times a day and show fluctuations of 40 mg/dL or more, which of the following measures could help stabilize their levels?

- A. Implementing a fixed meal schedule
- B. Increasing the dose of basal insulin

- C. Reducing physical activity to avoid swings
- D. Decreasing carbohydrate intake at meals

Answer: A

Explanation: A fixed meal schedule can help stabilize blood glucose levels by evenly distributing carbohydrate intake throughout the day, which can reduce fluctuations.

Question: 999

A 55-year-old woman presents with a fasting glucose of 140 mg/dL and an HbA1c of 7.8%. What is the most appropriate first-line medication for her condition?

- A. GLP-1 receptor agonist
- B. Sulfonylureas
- C. Insulin
- D. Metformin

Answer: D

Explanation: Metformin is the first-line medication for the treatment of Type 2 Diabetes, especially for patients who are overweight or obese.

Question: 1000

A patient with diabetes has an A1C of 7.2% but reports frequent episodes of hypoglycemia. They are currently prescribed metformin and glimepiride. Which adjustment in their treatment plan should be considered to reduce hypoglycemic episodes while maintaining glycemic control?

- A. Increase the dose of metformin
- B. Substitute glimepiride with a DPP-4 inhibitor
- C. Add a long-acting insulin regimen
- D. Discontinue all diabetes medications temporarily

Answer: B

Explanation: Substituting glimepiride with a DPP-4 inhibitor can reduce the risk of hypoglycemia while still providing effective glycemic control, as DPP-4 inhibitors do not typically cause hypoglycemia.

Question: 1001

During a diabetes management workshop, a participant asks about the role of glycemic control in foot health. What is the most significant impact of maintaining optimal glycemic levels on foot complications?

- A. Reduces the risk of skin infections

- B. Prevents peripheral arterial disease
- C. Enhances wound healing
- D. Eliminates the need for foot care

Answer: C

Explanation: Optimal glycemic control directly enhances wound healing and reduces the risk of complications, including foot ulcers.

Question: 1002

A patient with type 2 diabetes is considering a new medication based on their genetic profile. Which of the following genetic factors is most likely to influence the choice of a DPP-4 inhibitor?

- A. Blood type
- B. TCF7L2 polymorphisms
- C. Age of onset of diabetes
- D. Family history of hypertension

Answer: B

Explanation: TCF7L2 polymorphisms are known to influence the effectiveness of DPP-4 inhibitors, making it a critical genetic factor in personalizing diabetes treatment.

Question: 1003

When educating a patient about the potential side effects of insulin therapy, which of the following should be emphasized as a primary concern?

- A. Weight loss
- B. Allergic reactions
- C. Hypoglycemia
- D. Skin irritations

Answer: C

Explanation: Hypoglycemia is the most critical and common side effect of insulin therapy, requiring patients to be vigilant about their blood glucose levels and symptoms.

Question: 1004

A diabetes educator is tasked with evaluating the impact of a new diabetes education curriculum. What is the most effective method to measure the curriculum's success?

- A. Comparing patient outcomes before and after the implementation of the curriculum
- B. Conducting surveys only among healthcare providers
- C. Analyzing the curriculum's content without assessing patient feedback

D. Relying on anecdotal evidence from patients

Answer: A

Explanation: Comparing patient outcomes before and after implementation provides measurable evidence of the curriculum's effectiveness in improving diabetes management.

Question: 1005

In a case where a patient with type 2 diabetes is exhibiting poor adherence to their medication regimen, which intervention would most effectively address psychological barriers to adherence?

- A. Conducting a motivational interviewing session
- B. Referring the patient to a diabetes educator
- C. Providing a written medication schedule
- D. Simplifying the medication regimen

Answer: A

Explanation: Motivational interviewing can help address underlying psychological barriers, such as ambivalence or lack of motivation, which are often significant factors in medication adherence.

Question: 1006

A patient utilizing a diabetes management app reports a daily average blood glucose reading of 220 mg/dL. If the target range for this patient is 80-130 mg/dL before meals, what is the percentage of readings that fall outside the recommended range if the patient records 14 readings over two weeks?

- A. 50%
- B. 71%
- C. 64%
- D. 79%

Answer: B

Explanation: If all 14 readings are above the target range, then 100% of readings fall outside the recommended range. Therefore, if only 4 readings were within range, that would be 71% outside the recommended range.

Question: 1007

A diabetic patient is researching the role of omega-3 fatty acids in their diet. Which of the following food sources is the best recommendation for increasing omega-3 intake while managing diabetes?

- A. Fatty fish such as salmon
- B. Red meat

- C. Processed dairy products
- D. White bread

Answer: A

Explanation: Fatty fish, such as salmon, are excellent sources of omega-3 fatty acids, which can support heart health and may improve insulin sensitivity, making them beneficial for individuals with diabetes.

Question: 1008

A patient reports that their insulin pump is not delivering the expected amount of insulin, leading to high glucose readings. What is the first step the healthcare provider should recommend?

- A. Check the infusion site for kinks
- B. Change the insulin type
- C. Increase the bolus dose
- D. Monitor glucose levels more frequently

Answer: A

Explanation: Checking the infusion site for kinks or blockages is the first step, as these can directly affect insulin delivery and lead to elevated glucose levels.

Question: 1009

A clinical trial shows that a new DPP-4 inhibitor significantly reduces HbA1c levels. What is the most likely mechanism of action for this class of drugs?

- A. Enhancing insulin sensitivity
- B. Delaying gastric emptying
- C. Inhibiting glucagon secretion
- D. Stimulating pancreatic beta cells

Answer: C

Explanation: DPP-4 inhibitors work by inhibiting glucagon secretion and enhancing insulin secretion in response to meals, effectively lowering blood glucose levels.

Question: 1010

A patient's ketone test shows negative results, but their blood glucose is 255 mg/dL. How should the diabetes educator interpret this situation?

- A. The lack of ketones indicates hypoglycemia
- B. The patient is managing their diabetes effectively

- C. The patient is not at risk for DKA
- D. The patient needs to monitor more frequently

Answer: C

Explanation: Negative ketones at elevated glucose levels suggest that the patient is not at immediate risk for DKA, but monitoring is still necessary.

Question: 1011

A patient with diabetes is evaluated for eligibility in a clinical trial focusing on a new insulin therapy. If the trial requires participants to have an A1C level greater than 8.0%, which of the following A1C results would qualify the patient?

- A. 7.5%
- B. 8.0%
- C. 9.0%
- D. 8.5%

Answer: D

Explanation: To qualify for the trial with the requirement of having an A1C greater than 8.0%, the patient must have an A1C level of 8.5% or higher.

Question: 1012

A diabetic patient presents with a history of poor foot care and reports numbness in her feet. Which condition is most likely resulting from her diabetes?

- A. Morton's neuroma
- B. Plantar fasciitis
- C. Charcot foot
- D. Achilles tendinitis

Answer: C

Explanation: Charcot foot is a serious condition that can develop due to neuropathy in diabetic patients, leading to joint degeneration and deformities.

Question: 1013

A patient is educated on the importance of monitoring for microalbuminuria. What is the primary purpose of this monitoring in patients with diabetes?

- A. To assess kidney function only
- B. To detect early signs of kidney damage

- C. To predict the onset of cardiovascular disease
- D. To determine the need for dialysis

Answer: B

Explanation: Monitoring for microalbuminuria helps detect early signs of kidney damage in patients with diabetes, allowing for timely intervention.

Question: 1014

In the context of diabetes management, what is the primary action of the hormone somatostatin?

- A. It stimulates insulin secretion.
- B. It promotes glucagon secretion.
- C. It inhibits glucagon and insulin secretion.
- D. It enhances glucose uptake by tissues.

Answer: C

Explanation: Somatostatin inhibits the secretion of both insulin and glucagon, thus playing a regulatory role in glucose metabolism.

Question: 1015

A community health worker is addressing diabetes disparities in an underserved urban area. Which strategy is most likely to improve diabetes management among this population?

- A. Providing educational materials only in English
- B. Offering diabetes education through online platforms only
- C. Focusing only on individual behavior change without community involvement
- D. Engaging community leaders to promote health initiatives

Answer: D

Explanation: Engaging community leaders can foster trust and enhance participation in health initiatives, addressing disparities more effectively through culturally appropriate outreach and support.



KILLEXAMS.COM

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



Actual Exam Questions: *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

Exam Dumps: *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

Practice Tests: *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

Guaranteed Success: *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

Updated Content: *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

Technical Support: *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*