



*Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.*



HPE0-S60 Dumps  
HPE0-S60 Braindumps  
HPE0-S60 Real Questions  
HPE0-S60 Practice Test  
HPE0-S60 Actual Questions



[killexams.com](https://killexams.com)

**HP**

**HPE0-S60**

*HPE ASE - Compute Solutions*

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/HPE0-S60>



### Question: 1

Which compute node parameters are captured within server hardware type?

- A. Number of the CPUs
- B. installed operating system
- C. Mezzanine card configuration
- D. Size of the memory Installed

**Answer: C**

### Question: 2

DRAG DROP

You need to setup HPE Synergy frames after hardware components are discovered within HPE OneView.

Put the steps to achieve this goal into the coned order in the answer area on the right.

Steps	Answer Area
Create a logical enclosure.	
Create a logical interconnect group with uplink sets.	
Create an enclosure group.	
Create server profile templates and server profiles	
Define all required networks.	

**Answer: C**

### Question: 3

Which statement about manual orchestration during the firmware update is true?

- A. It is supported only for logical enclosures with at least three frames
- B. It provides an ability to select and update one side of the Interconnect topology at a time
- C. It provides the ability to install an older firmware version than currently Installed In the interconnect
- D. It allows all the interconnect modules to be activated manually at the same time.

**Answer: B**

### Question: 4

Which statement about the HPE D3940 storage module is true?

- A. SATA drives requires redundant 10 adapters to be installed in this module
- B. Up to five modules can be installed in a single frame with Gen10 servers
- C. it is configured through CLI available from HPE Synergy console
- D. Only one type of drives (SATA, SAS, SSD) can be installed in each module

**Answer: B**

**Question: 5**

Your customer has 6 logical enclosures spanning 18 HPE Synergy frames. The customer needs to add one more logical enclosure based on 5 HPE Synergy frames

How will this change impact the customer environment?

- A. The customer can add a new logical enclosure to the existing setup because the maximum number of logical enclosures in a single management ring is not reached.
- B. The customer has to expand the management ring capacity either by adding HPE Composer 2 modules or adding memory to reach 128GB per module.
- C. The customer has to create a new management ring for new logical enclosure because the maximum number of frames in a single management ring is reached.
- D. The customer can add a new logical enclosure to an existing setup once all required licenses are added to HPE OneView and associated with the new frames.

**Answer: A**

**Question: 6**

Your customer plans to deploy VMware vSAN using D3940 Storage Modules.

Which statement about this solution is true?

- A. The 12Gb SAS modules required for D3940 connectivity can only be installed in the first fabric.
- B. To use the storage controller that will access D3940 storage modules, a second CPU must be installed.
- C. For VMware vSAN deployment, all drives in the D3940 storage modules must be SSD drives.
- D. All drives in the D3940 storage modules must formulate a single logical drive with RAID5 configured

**Answer: A**

**Question: 7**

Your customer wants to add dedicated Fibre Channel connectivity to the HPE Synergy frame running HPE Synergy 480 Gen10 compute modules, each with one CPU socket populated. Currently they use two 12 Gb SAS switches and two HPE Virtual Connect SE 100Gb F32 Modules for HPE Synergy installed in third fabric.

What must be done to enable dedicated FC connectivity for this HPE Synergy frame?

- A. A second CPU must be installed for all HPE Synergy 480 Gen10 compute nodes.
- B. For Brocade switches, a logical interconnect group must be created in HPE OneView.
- C. For VC-FC modules, all of server facing ports must be properly licensed.
- D. SAS switches must be moved to second fabric and FC modules installed in the first one.

**Answer: D**

**Question: 8**

You are troubleshooting an HPE OneView server profile that presents a critical state. The server profile was configured with a Link Aggregation Group

What should you check to fix the issue?

- A. if both FiexNICs are configured with the same speed
- B. If the logical enclosure is built on at least three HPE Synergy frames
- C. if both FiexNICs are connected to different networks
- D. if the logical enclosure is configured with redundant master modules

**Answer: A**

### **Question: 9**

Your customer plans to expand an existing nPar based on a single HPE Superdome Flex chassis.

Which statement about workload availability during expansion is true?

- A. Powered nPar can be expanded only if HPE Superdome Flex 280 is used
- B. Online expansion is available only if RMC is used for management.
- C. HPE Superdome Flex does not support expansion of powered on nPars
- D. Powered nPar can be expanded if it does not use HPE Persistent Memory

**Answer: A**

### **Question: 10**

Which tool can be used to evaluate the health of an HPE Oneview appliance before proceeding with an appliance update.

- A. HPE Composer Maintenance Console
- B. HPE OneView Update Readiness Checker
- C. HPE OneView Global Dashboard
- D. HPE OneView Firmware Compliance Report

**Answer: A**

### **Question: 11**

A logical interconnect group can span on multiple HPE Synergy frames for which interconnect type?

- A. Brocade 32GB Fibre Channel Switch Module for HPE Synergy
- B. HPE virtual Connect SE 32 Gb FC Module for Synergy
- C. HPE Virtual Connect SE 100 Gb F32 Module for Synergy
- D. HPE Synergy 12 Gb SAS Connection Module

**Answer: C**

### **Question: 12**

Your customer manages HPE Synergy using HPE OneView. For one of its projects, the company purchased 50 HPE ProLiant DK385 Gen10 Plus v2. They plan to manage the new systems using HPE OneView as well.

What should the customer do to manage rack system using HPE OneView?

- A. add the rack system to the HPE OneView instance used to manage HPE Synergy to centralize management of all systems.
- B. connect the rack system to an IPDU and add the IPDU to the HP
- C. OneView instance that is used for HPE synergy management.
- D. Deploy HPE OneView Global Dashboard and add the rack systems there, as AMD systems are not directly in HPE OneView.
- E. Deploy an HPE OneView virtual appliance, and, after configuration, use it to manage only the rack systems.

Answer: D

### Question: 13

DRAG DROP

Match each HPE OneView network type with its definition.

Network Type	Definition
Internal network	A network that contains multiple networks on a single uplink set that allows your customer to share uplinks with those networks.
Tagged network	A network in which any tagged packets are dropped and forwarding is done by a MAC address.
Tunnel network	A network with a dedicated set of uplink ports used to pass a group of VLANs without changing the VLAN tags.
Untagged network	A network that does not utilize any uplink ports and is used for communication between servers in the same frame.

Answer: D

### Question: 14

Which statement about a new HPE SimpliVity deployment is true?

- A. New HPE SimpliVity deployments gives customer flexible choice of hypervisor
- B. A new HPE SimpliVity node can be a member of multiple dusters
- C. AM new HPE SimpliVity models are software optimized
- D. All new HPE SimpliVity models are based on mid CPUs

Answer: A

### Question: 15

You plan to configure a Link Aggregation Group (LAG) for two connections within a server profile for a compute node running an ESXI system.

What is required from the VMware side to enable LAG?

- A. Virtual Distributed Switch

- B. vSphere Standard license
- C. Load balancing cluster
- D. Dedicated VMKernel port

**Answer: A**

### **Question: 16**

In the past a customer experienced a networking issue where network ports went down and came back up in quick succession.

Which HPE Virtual Connect SE 100 GD F32 Module for HPE Synergy feature can be configured to disable such ports?

- A. Pause flood protection
- B. sFlow
- C. Storm control
- D. Port flap protection

**Answer: B**

### **Question: 17**

Your customer reports that an external FC boot volume for Windows server is visible four times in the Disk Management 1 online and 3 offline.

What should you do to resolve this issue?

- A. Disable deduplication for this volume at the array level
- B. Remove the offline disks using array management tools
- C. Install and configure MPIO on the Windows system
- D. Remove the offline disks using Windows Disk Management

**Answer: C**

### **Question: 18**

Your customer plans to use HPE Primera to boot HPE Synergy compute nodes. They currently have two HPE Virtual Connect SE 100Gb F32 Module for Synergy modules installed in the frame. The customer wants to use FC as a storage access protocol

What must be done to complete this task?

- A. Enable FC primary and secondary boot on the modules through the HPE OneView interface
- B. FC connectivity on the modules should be enabled through the service console by disabling FCoE
- C. Add FC upgrade licenses in HPE OneView that will enable FC connectivity for the modules
- D. Enter both modules into a maintenance mode, then enable FC connectivity through CLI

**Answer: B**

### **Question: 19**

You modified a logical interconnect group that is used to configure logical interconnects in five different logical enclosures.

What will be the impact of that change?

- A. All physical interconnects from affected logical interconnects will be placed in a maintenance mode
- B. All physical interconnects from the affected logical interconnects must be rebooted to activate the new configuration
- C. All logical interconnects configured using this logical Interconnect group will report inconsistency
- D. All logical interconnects configured using this logical interconnect group will be automatically updated

**Answer: C**

### **Question: 20**

Which statement about login redistribution is true?

- A. Login redistribution is available only if HPE Primera or HPE Alletra is connected directly to the HPE Synergy frame
- B. Login redistribution is a licensed feature and the number of licenses required depends on the number of active ports
- C. Login redistribution is supported only on the HPE Synergy Virtual Connect SE 32Gb FC Modules
- D. Login redistribution is used for login balancing when they are not distributed evenly over the FC links

**Answer: D**

### **Question: 21**

Which statement about an HPE Oneview support dump is true?

- A. Appliance support dump by default contains a logical enclosure support dump
- B. Support dump is a binary file that can be opened only in a dedicated application
- C. Support dump can be created if HPE Virtual Connect modules are installed in the frame
- D. Preview support dump is available only when creating an appliance support dump

**Answer: B**

### **Question: 22**

Your customer plans to add four HPE Synergy frames to an existing management ring. All installed frames are equipped with two 2-port FLM modules, while new frames will be equipped with 4-port FLM modules.

Which statement about mixing different FLM modules is true?

- A. Existing 2-port FLM modules must be replaced with 4-port FLM modules
- B. A management ring can contain mixed frame link module configurations
- C. A management ring with mixed FLM modules cannot have more than 12 frames
- D. Mixing different FLM modules is allowed if all of them have the same firmware version

**Answer: A**



# SAMPLE QUESTIONS



*These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.*

*Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:*



**Actual Exam Questions:** *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

**Exam Dumps:** *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

**Practice Tests:** *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

**Guaranteed Success:** *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

**Updated Content:** *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

**Technical Support:** *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>  
Kill your exam at First Attempt....Guaranteed!